

MATERIAL SAFETY DATA SHEET

Product Name DIVERCLEANSE

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier Name DIVERSEY AUSTRALIA PTY. LIMITED

Address 29 Chifley St, Smithfield, NSW, AUSTRALIA, 2164

 Telephone
 (02) 9757 0300

 Fax
 (02) 9725 5767

Emergency1800 033 111 (24 hrs)Emailaucustserv@diversey.comWeb Sitehttp://www.diversey.com

Synonym(s) HH14333 DIVERCLEANSE 12 X 750ML • HH14336 DIVERCLEANSE 2 X 5L • HH80106 BULK DIVERCLEANSE

Use(s) CLEANER • CLEANING AGENT • DISINFECTANT • HOSPITAL DISINFECTANT

SDS Date 08 Mar 2010

2. HAZARDS IDENTIFICATION

CLASSIFIED AS HAZARDOUS ACCORDING TO ASCC CRITERIA

RISK PHRASES

R31 Contact with acids liberates toxic gas.

R36/38 Irritating to eyes and skin.

SAFETY PHRASES

S2 Keep out of reach of children. S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

S50 Do not mix with incompatible materials.

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

UN No.None AllocatedDG ClassNone AllocatedSubsidiary Risk(s)None AllocatedPacking GroupNone AllocatedHazchem CodeNone AllocatedEPGNone Allocated

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	Formula	CAS No.	Content
SODIUM HYPOCHLORITE	CI-O.Na	7681-52-9	<5%
SODIUM HYDROXIDE	Na-OH	1310-73-2	<2%
SURFACTANT(S)	Not Available	Not Available	<5%
NON HAZARDOUS INGREDIENTS	Not Available	Not Available	remainder

Page 1 of 5 RMT

Product Name DIVERCLEANSE

4. FIRST AID MEASURES

Eye If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to

stop by a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor, or for at least 15 minutes.

Inhalation If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue

flushing with water until advised to stop by a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor.

Ingestion For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed,

do not induce vomiting.

Advice to Doctor Treat symptomatically

First Aid Facilities Eye wash facilities should be provided.

5. FIRE FIGHTING MEASURES

Flammability Non flammable. May evolve toxic gases (chlorine) when heated to decomposition.

Fire and Explosion

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

Extinguishing Prevent contamination of drains or waterways.

Hazchem Code None Allocated

6. ACCIDENTAL RELEASE MEASURES

Spillage

Contact emergency services where appropriate. Use personal protective equipment. Clear area of all unprotected personnel. Ventilate area where possible. Contain spillage, then cover / absorb spill with non-combustible absorbant material (vermiculite, sand, or similar), collect and place in suitable containers for disposal. Spill site may be slippery.

7. STORAGE AND HANDLING

Storage

Store in a cool, dry, well ventilated area, removed from acids, reducing agents, organic materials, active metals, heat or ignition sources and foodstuffs. Ensure containers are adequately labelled, protected from physical damage, sealed when not in use, vented and stored upright. Check regularly for leaks or spills. Large storage areas should have appropriate ventilation systems. Also store removed from peroxides.

Handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Exposure Stds

Ingredient	Reference	TWA		STEL	
		ppm	mg/m3	ppm	mg/m3
Sodium hydroxide (peak limitation)	ASCC (AUS)		2		
SODIUM HYPOCHLORITE	ASCC (AUS)	1	3		

Biological Limits

No biological limit allocated.

Engineering Controls

Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended. Maintain vapour levels below the recommended exposure standard.

PPE

Wear splash-proof goggles, rubber or PVC gloves and coveralls. When using large quantities or where heavy contamination is likely, wear: a PVC apron and rubber boots. Where an inhalation risk exists, wear: a Type B (Inorganic gases and vapours) respirator.







Page 2 of 5 RMT

DIVERCLEANSE Product Name

9. PHYSICAL AND CHEMICAL PROPERTIES

VISCOUS PALE STRAW COLOURED Solubility (Water) **Appearance** SOLUBLE

LIQUID

CHARACTERISTIC ODOUR **Specific Gravity** 1.075 - 1.085 @ 20°C Odour На % Volatiles NOT AVAILABLE 12.9 (Approximately) **Vapour Pressure NOT AVAILABLE Flammability** NON FLAMMABLE Flash Point Vapour Density **NOT AVAILABLE** NOT RELEVANT **NOT AVAILABLE** NOT RELEVANT **Boiling Point Upper Explosion Limit** NOT RELEVANT **Melting Point** NOT AVAILABLE **Lower Explosion Limit**

Evaporation Rate NOT AVAILABLE

10. STABILITY AND REACTIVITY

Chemical Stability Stable under recommended conditions of storage.

Conditions to Avoid Avoid heat, sparks, open flames and other ignition sources.

Material to Avoid Incompatible with reducing agents (eg. amines), organic materials, some metals. Do not mix with any

other chemicals. Also incompatible with peroxides.

Decomposition May evolve toxic gases (chlorine) when heated to decomposition.

Hazardous Reactions Polymerization is not expected to occur.

11. TOXICOLOGICAL INFORMATION

Health Hazard Summary

This product has the potential to cause adverse health effects. Use safe work practices to avoid eye or skin contact and inhalation. Over exposure to chlorine vapour may result in lung tissue damage. Do not mix with other chemicals unless advised and specific instructions provided, as toxic and irritating gases may be evolved. Use safe work practices to avoid over exposure. Upon dilution, the potential for corrosive effects may be reduced.

Eye Contact may result in irritation, lacrimation, pain, redness, corneal burns and possible permanent damage.

Inhalation Over exposure may result in irritation of the nose and throat, coughing, nausea and headache. Due to the low

vapour pressure, an inhalation hazard is not anticipated with normal use.

Skin Contact may result in irritation, redness, pain, rash, dermatitis and possible burns.

Ingestion Ingestion may result in ulceration and burns to the mouth and throat, nausea, vomiting, abdominal pain and

diarrhoea.

Toxicity Data SODIUM HYPOCHLORITE (7681-52-9)

LD50 (Ingestion): 5800 mg/kg (mouse) TDLo (Ingestion): 1 gm/kg (woman) TDLo (Intravenous): 45 mg/kg (man) SODIUM HYDROXIDE (1310-73-2) LD50 (Intraperitoneal): 40 mg/kg (mouse)

LDLo (Ingestion): 1.57 mg/kg (human)

12. ECOLOGICAL INFORMATION

Environment

ATMOSPHERE: May release toxic chlorine gas. WATER: Hypochlorites are extremely toxic to fish; Exposure to 0.5 % over 96 hours resulted in death of trout. SOIL: May leach to groundwater with resultant toxicity to aquatic organisms. Hypochlorites are non-persistent in the environment and there is no accumulation potential as they gradually decompose into a salt and oxygen.

13. DISPOSAL CONSIDERATIONS

Waste Disposal For small amounts absorb with sand, vermiculite or similar and dispose of to an approved landfill site. Contact the

manufacturer for additional information if larger amounts are involved. Prevent contamination of drains and

waterways as aquatic life may be threatened and environmental damage may result.

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

Page 3 of 5 **RMT**

Reviewed: 08 Mar 2010

Printed: 10 Mar 2010

Product Name DIVERCLEANSE

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

Shipping Name None Allocated

UN No.None AllocatedDG ClassNone AllocatedSubsidiary Risk(s)None AllocatedPacking GroupNone AllocatedHazchem CodeNone AllocatedEPGNone Allocated

15. REGULATORY INFORMATION

Poison Schedule Classified as a Schedule 5 (S5) Poison using the criteria in the Standard for the Uniform Scheduling of Drugs and

Poisons (SUSDP).

All chemicals listed on the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

Additional Information

RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

EXPOSURE STANDARDS - TIME WEIGHTED AVERAGE (TWA) or WES (WORKPLACE EXPOSURE STANDARD) (NZ): Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

ABBREVIATIONS:

ADB - Air-Dry Basis.

BEI - Biological Exposure Indice(s)

CAS# - Chemical Abstract Service number - used to uniquely identify chemical compounds.

CNS - Central Nervous System.

EINECS - European INventory of Existing Commercial chemical Substances.

IARC - International Agency for Research on Cancer.

M - moles per litre, a unit of concentration.

mg/m3 - Milligrams per cubic metre.

NOS - Not Otherwise Specified.

NTP - National Toxicology Program.

OSHA - Occupational Safety and Health Administration.

pH - relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).

ppm - Parts Per Million.

RTECS - Registry of Toxic Effects of Chemical Substances.

TWA/ES - Time Weighted Average or Exposure Standard.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Chem Alert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this Chem Alert report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made

Report Status

This document has been compiled by RMT on behalf of the manufacturer of the product and serves as the manufacturer's Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

Page 4 of 5

RMT

Product Name DIVERCLEANSE

Prepared By Risk Management Technologies

5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794

Email: info@rmt.com.au Web: www.rmt.com.au

> SDS Date: 08 Mar 2010 End of Report